

TRANSCEIVER TECH DATA

DPERATING VOLTAGE:
 12VDC

POWER CONSUMPTION: 1VA/TRANSCEIVER

RELAY DUTPUT: SPDT 3 AMP @ 120 VAC

AMBIENT OPERATING TEMP: -15 TO +130F (-25 TO +55C)

DIMENSIONS: L-3.7", W-1.16", H-1.43"


POWER SUPPLY TECH DATA


OPERATING VOLTAGE: 120VAC IN, 12VDC OUT

MAXIMUM LIGHT LINK PER POWER SUPPLY: 5


DIMENSIONS: L-3.7" W-1.16" H: 1.43"

	Drawing Title						
	OPTI-FLOAT						
DATE	MINI	REFERENCE DRAWING S/N Sales Engineer	NO. Application Eng		ECN	DATE Approve	BY D
8/10/15	Project Title	XX		BY B.V. PO Box77808	BY DATE PURCHASE ORDER NUMBER		
	GENERAL ARRANGEMENT	COX	Baton Rouge, LA 70879	DRAWING NUMBER OF—GEN_ARR			
		Research and Techno	Ph. (225)756-3271 Fax (225)755-1030	SHEET NUMBER		1	






+	T		l								
	Drawing Title										
-		LIGHT LINK									
		TRANSCEIVER									
D.1.			REFERENCE	DRAWING	NO.		REVISION-LOCATION	ECN	DATE	BY	
DAT		MINI-TR3	S/N	Sales Engineer	Application	Enginee			APPROVE	D	
8/1	0/15			XX	XX		BY B.V.	BY	DATE		
	Project Title	Project Title DIMENSIONS		COX Research and Technology, Inc.			PO Box77808 Baton Rouge, LA 70879	PURCHAS	PURCHASE ORDER NUMBER		
								DRAWIN	DRAWING NUMBER		
								OF-GEN_ARR			
							Ph. (225)756-3271		SHEET NUMBER		
							Fax (225)755-1030	SHEET N	UMBER	2	



	Drawing Title					
	LIGHT LINK					
	POWER SUPPLY	REFERENCE DRAWING NO.	REVISION-LOCATION	ECN	DATE	BY
DATE 8/10/15	MINI-PS2	S/N Sales Engineer Application Engineer XX XX			APPROVEI DATE	
	Project Title		PO Box77808	PURCHASE ORDER NUMBER		
		COX		DRAWING NUMBER		
	DIMENSIONS	Research and Technology, Inc.		OF-GI	OF-GEN_ARR	
		research and Technology, Inc.	Ph. (225)756-3271 Fax (225)755-1030	SHEET NUMBER		

FRONT VIEW

SIDE VIEW 2



FLOAT TECH DATA

BEND RADIUS:

OPERATING WAVELENGTH: 400 TO 1200 NM

CABLE: POLYURETHANE OVER DUAL PLASTIC FIBERS (.31" O.D.)

STANDARD CABLE LENGTHS: 15', 25', 50', 75' AMBIENT LIQUID OPERATING TEMPS & STORAGE TEMPS: -15 TO +155°F

TYPICAL TETHER LENGTH:

HOUSING MATERIAL:
POLYPROPYLENE

DIMENSIONS: DIAMETER: 3.5" LENGTH:4.9"